
Press brakes (40)

Press brakes



OLEODINAMIC PRESS BRAKE 2500 X 85 TON - 6 AXIS	
Model : V85S	
Manufacturer : TRUMPF	
OLEODINAMIC PRESS BRAKE "TRUMPF" TYPE TRUMABEND V85S USED YEAR 1998 WITH CE - CNC DELEM 6 AXIS (Y1 - Y2 - X - R - Z1- Z2) WITH N.2 MANUAL METAL SHEET SUPPLY.	
Bending useful length	
Mm 2550	
Pressure max	
Ton 85	
Distance between length	
Mm 2260	
Gap	
Mm 410	

Max stroke cylinder

Mm 365

Max distance between tables

Mm 535

Table height

Mm 1050

Approach speed

Mm/s 200

Adjustable working speed

Mm/s 1-10

Adjustable return speed

Mm/s 135

Electr. Supply

kW 11

Length

Mm 3190

Width

Mm 1950

Height

Mm 2900

Weight approx

Kg 9950



OLEODINAMIC PRESSA BRAKE COLLY 4000 X 150 TON - B.T.

Model : 150/40

Manufacturer : COLLY

OLEODINAMIC PRESS BRAKE "COLLY" TYPE 4050 X 150 TON – MANUAL BACKGAUGE

Bending useful length

Mm 4050

Max. pressure

Ton 150

Width between uprights

Mm 3200

Gap

Mm 400



PRESS BRAKE 10550 X 105 TON
Model : 10550/105
Manufacturer : BELGIUS
HYDRAULIC PRESS BRAKE BELGIUS 10550 X 105 TON USED
Max. pressure
Ton 105
Bending useful lenght
Mm 10550
Depth of throat
Mm 750
Blade dimension
Mm 10550
Prism dimension
Mm 10550

Working speed

Mm/min 420

Return and approach speed

Mm/min 810

Motorized backgauge

Adjustable stroke

Mm 125

Power

Hp 10

Control

Cn

Weight

Kg 12000

Dimension approx.

length

width

height

Mm 11000

Mm 1600

Mm 2600



PRESS BRAKE 1200 X 25 TON

Model : RG25/12

Manufacturer : SCHIAVI

OLEODINAMIC PRESS BRAKE SCHIAVI TYPE RG 25/12

Bending useful length

Mm 1200

Pressure max

Ton 25

Blade dimension

Mm 1200

Prism dimension

Mm 1200



PRESS BRAKE 2000 X 40 TON

Model : 40/20

Manufacturer : FRATELLI FARINA

HYDRAULIC PRESS BRAKE F.LLI FARINA 2000 X 40 TON USED – SINCRONIZED 4 AXES (Y1-Y2-X-R) CNC CONTROL ESA KLETRA 20500V

Max. pressure

Ton 40

Bending useful lenght

Mm 2085

Gap

Mm 300

Blade dimension

Mm 2085

Prism dimension

Mm 2085

Width between uprights

Mm 1670

Table width

Mm 60

Table/ram distance

Mm 350

Adjustable stroke

Mm 170

Approach speed

Mm/s 125

Working speed

Mm/s 0-10

Return speed

Mm/s 140

Motorized back gauge

Motor power

kw 4

Control

Esa kletra 20500v

Weight

Kg 3300

Dimension approx.

length

width

height

Mm 2700

Mm 2200

Mm 1250



PRESS BRAKE 2500 X 35 TON

Model : 35/25

Manufacturer : IMECA

HYDRAULIC PRESS BRAKE IMECA 2500 X 35 TON USED

Max. pressure

Ton 35

Bending useful length

Mm 2500

Blade dimension

Mm 2500

Prism dimension

Mm 2500

Manual backgauge

Dimension approx.

Lenght

Width

Height

Mm 2950

Mm 1450

Mm 2200



PRESS BRAKE 2500 X 85 TON - 6 AXES

Model : TRUMABEND V85X

Manufacturer : TRUMPF

OLEODINAMIC PRESS BRAKE TRUMPF TYPE V85X USED YEAR 2000 – CONTROL DELEM
–SINCRONIZED 6 AXES (Y1-Y2-X1-X2-R-Z1-Z2) CONTROLLED FROM DELEM DA69 COLOR-VIDEOGRAPHIC
THREE-DIMENSIONAL – USED YEAR 1998

Bending useful length

Mm 2500

Pressure max

Ton 85

Distance between length

Mm 1750

Gap

Mm 420

Max stroke cylinder

Mm 365

Max distance between tables

Mm 595

Weight approx

Kg 9050



PRESS BRAKE 3000 X 100 TON

Model : 100/30

Manufacturer : NOVASTILMEC

HYDRAULIC PRESS BRAKE NOVASTILMEC 3000 X 100 TON – USATA – CONTROL PRG 920

Max. pressure

Ton 100

Bending useful length

Mm 3000

Gap

Mm 300

Blade dimension

Mm 3000

Prism dimension

Mm 3000

Width between uprights

Mm 2600

Motorized back gauge

Motor power

Kw 11

Dimension approx.

length

width

height

Mm 3700

Mm 2000

Mm 2700



PRESS BRAKE 3000 X 100 TON - 6 AXES

Model : PS 100

Manufacturer : GASPARINI

OLEODINAMIC PRESS BRAKE GASPARINI TYPE POA 100 3000 X 100 TON USED – SYNCRONIZED 6 AXES
 (Y1-Y2-X-R-Z1-Z2) CNC CONTROLL ESA 10500V.

Max. pressure

Ton 100

Bending useful length

Mm 3050

Gap

Mm 350

Blade dimension

Mm 3050

Prism dimension

Mm 3050

Width between uprights

Mm 2600

Max distance between tables

Mm 310

Max strok table

Mm 200

Approach speed

Mm/S 9-50

Working speed

Mm/S 9

Return speed

Mm/S 55

Motor power

Kw 7,5

Control

ESA 10500V

Weight

Kg 8500

Dimension approx.

length

width

height

Mm 3100

Mm 1580

Mm 2370



PRESS BRAKE 3000 X 105 TON - 6 AXES

Model : PBS 105

Manufacturer : GASPARINI

OLEODINAMIC PRESS BRAKE "GASPARINI" TYPE PBS 105 3100 x 105 TON USED YEAR 1998 –
 SYNCRONIZED 6 AXES -DELEM DA65 VIDEOGRAF. – OLEODINAMIC BOMBERING CONTROLLED BY CNC.

Max. pressure

Ton 105

Bending useful lenght

Mm 3100

Gap

Mm 350

Blade dimension

Mm 3100

Prism dimension

Mm 3100

Width between uprights

Mm 2600

Max distance between tables

Mm 390

Max stroke table

Mm 200

Approach speed

Mm/s 100

Working speed

Mm/s 0÷10

Return speed

Mm/s 100

Motorized back gauge

Motor power

Kw 11

Control

DELEM DA65 VIDEOGR.

Weight

Kg 7400

Dimension approx.

length

width

height

Mm 3730 + 950 (Cnc)

Mm 1645

Mm 2605



PRESS BRAKE 3000 X 130 TON - 6 AXES

Model : TRUMABEND V130X

Manufacturer : TRUMPF

OLEODINAMIC PRESS BRAKE TRUMPF TYPE V130X USED YEAR 1998 – CONTROL DELEM –
 SINCRONIZED 6 AXES (X1-X2-R1-R2-Z1-Z2) – PREDISPOSITION FOR ANGLE CONTROL (ACB)

Bending useful length

Mm 3230

Pressure max

Ton 130

Distance between length

Mm 2690

Gap

Mm 420

Max stroke cylinder

Mm 365

Max distance between tables

Mm 595

Table width

Mm 1050

Approach speed

Mm/s 200

Adjustable working speed

Mm/s 1-10

Adjustable return speed

Mm/s 135

Length

Mm 3640

Width

Mm 2060

Height

Mm 2285

Weight approx

Kg 12950



PRESS BRAKE 3060 X 230 TON - 6 AXES	
Model : TrumaBend V230	
Manufacturer : TRUMPF	
OLEODINAMIC PRESS BRAKE TRUMPF TYPE V230 USED YEAR 2000 CONTROL DELEM DA 69 – SINCROINIZED 6 AXES (Y1-Y2-X-R-Z1-Z2).	
Bending Useful Length	
Mm 3060	
Pressure Max	
Ton 230	
Distance Between Length	
Mm 2690	
Gap	
Mm 410	
Max Stroke Cylinder	

Mm 365

Table Width

Mm 1050

Approach Speed

Mm/S 200

Adjustable Working Speed

Mm/S 1-10

Adjustable Return Speed

Mm/S 135

Lenght

Mm 3660

Width

Mm 2120

Height

Mm 3065

Weight Approx

Kg 18210



PRESS BRAKE 3100 X 100 TON

Model : HFB 100/30

Manufacturer : SCHIAVI

HYDRAULIC PRESS BRAKE SCHIAVI HFB 100/30 - 3100 X 100 TON USED – SINCRONIZED 6 AXES - CONTROL CNC VIDEOGRAFIC TYPE. MIND – YEAR 1996

Max. pressure

Ton 100

Bending useful length

Mm 3100

Gap

Mm 405

Blade dimension

Mm 3100

Prism dimension

Mm 3100

Width between uprights

Mm 2700

Table/ram distance

Mm 400

Adjustable stroke

Mm 200

Motorized back gauge

Motor power

Kw 7,5

Control

Videografico mod. mind

Weight

Kg 7000

Dimension approx.

Length

Width

Height

Mm 3700

Mm 2000

Mm 2700



PRESS BRAKE 3100 X 65 TON

Model : RG 65/30

Manufacturer : SCHIAVI

HYDRAULIC PRESS BRAKE SCHIAVI TYPE RG. 65/30 - 3100 X 65 TON USED – WITH NUMERIC CONTROL TYPE MASTER/3 AXES (X-Y-R) – OVERHAULDED YEAR 2008

Max. pressure

Ton 65

Bending useful length

Mm 3100

Gap

Mm 400

Blade dimension

Mm 3100

Prism dimension

Mm 3100

Width between uprights

Mm 2660

Table/ram distance

Mm 300

Adjustable stroke

Mm 100

Motorized back gauge

Motor power

Kw 4

Control

Tipo Master/3 Assi (X-Y-R)

Weight

Kg 4500



PRESS BRAKE 4000 X 105 TON - 4 AXES

Model : PBS 105

Manufacturer : GASPARINI

PRESS BRAKE OLEODINAMIC GASPARINI MOD. PBS 105 4000 X 105 TON USED YEAR 2001
SINCRONIZED 4 AXES (Y1-Y2-X-R) CNC DELEM DA 66W – OLEODINAMIC BOMBERING – N° 2 FRONT
SUPPLY METAL SHEET - OLEODINAMIC SUPERIOR LOCK

Max. pressure

Ton 105

Bending useful lenght

Mm 4100

Gap

Mm 350

Blade dimension

Mm 4000

Prism dimension

Mm 4000

Width between uprights

Mm 3600

Max distance between tables

Mm 390

Max strok table

Mm 200

Approach speed

Mm /s 130

Working speed

Mm/s 0-10

Return speed

Mm/s 120

Motorized back gauge

Motor power

Tensione 380v: kw 11

Control

Delem DA66W

Weight

Kg 10600

Dimension approx.

Lenght

Width

height

Mm 4420
 Mm 1550
 Mm 2950



PRESS BRAKE 4000 X 170 TON - 4 AXES

Model : 170/40

Manufacturer : CR

HYDRAULIC PRESS BRAKE CR 4000 X 170 TON USED YEAR 2002 – SINCRONIZED 4 AXES (Y1-Y2-X-R)
 CONTROLL CNC DELEM - OLEODINAMIC BOMBERING

Max. pressure

Ton 170

Bending useful lenght

Mm 4100

Gap

Mm 510

Blade dimension

Mm 4100

Prism dimension

Mm 4100

Width between uprights

Mm 3550

Max stroke cylinder

Mm 250

Table/ram distance

Mm 450

Stroke back-gauge axes x

Stroke back-gauge axes r

Mm 600

Mm 210

Approach speed

Mm/s 200

Working speed

Mm/s 0-10

Return speed

Mm/s 170

Motorized back gauge

Motor power

Kw 18,5

Control

Delem

Weight

Kg 15000

Dimension approx.

length

width

height

Mm 4600

Mm 1900

Mm 2810



PRESS BRAKE 4300 X 220 TON

Model : HFB 220/40

Manufacturer : SCHIAVI

OLEODINAMIC PRESS BRAKE SCHIAVI HFB 4300 x 220 TON SYNCRONIZED 7 AXES (Y1-Y2-X1-X2-R-Z1-Z2)
 – CNC “2K TASK84” VIDEOGRAF. – USED YEAR 2003 WITH CE.

Max. pressure

Ton 220

Bending useful length

Mm 4300

Gap

Mm 410

Motorized back gauge



PRESS BRAKE 6000 X 250 TON

Model : 250/6000

Manufacturer : IMAL

SYNCRONIZED HYDRAULIC PRESS BRAKE IMAL 6000 X 250 TON USED - HYDRAULIC COMPENSATION SYSTEM -SYNCRO 4 AXES (Y1Y2XR) - CNC CONTROL

Max. pressure

Ton 250

Bending useful length

Mm 6000

Gap

Mm 750

Blade dimension

Mm 6000

Prism dimension

Mm 6000

Motorized back gauge

XR



PRESS BRAKE F.LLI FARINA 3000 X 110 TON - 4 AXES

Model : PFO 110/30

Manufacturer : FRATELLI FARINA

OLEODINAMIC PRESS BRAKE "F.LLI FARINA" 3000 X 110 TON USED SINCRONIZED 4 AXES - CNC
 ESA TRIA 7500V.

Bending useful length

Mm 3150

Pressure max

Ton 110

Distance between length

Mm 2600

Gap

Stroke back-gauge

Mm 500

Mm 510

Max stroke cylinder

Mm 230

Max distance between tables

Mm 395

Table width

Mm 60

Approach speed

Mm/s 125

Adjustable working speed

Mm/s 0-14

Adjustable return speed

Mm/s 140

Power

Kw 7,5

Length / Machine + barriers / Machine + barriers + cnc

Mm 3330/3500/4300

Width

Mm 1750

Height

Mm 2650

Weight approx

Kg 9000



Product name	Category	Page
OLEODINAMIC PRESSA BRAKE COLLY 4000 X 150 TON - B.T. - Tuesday 03 March, 20		
Press brakes	5	
OLEODINAMIC PRESS BRAKE 2500 X 85 TON - 6 AXIS - Thursday 25 February		Press
brakes	4	
PRESS BRAKE 3100 X 65 TON - Monday 12 October, 2	Press brakes	35
PRESS BRAKE 3100 X 100 TON - Thursday 15 January,	Press brakes	33
PRESS BRAKE 4000 X 105 TON - 4 AXES - Friday 18 January, 2	Press brakes	
		39
PRESS BRAKE 4300 X 220 TON - Wednesday 23 Septemb	Press brakes	43
PRESS BRAKE F.LLI FARINA 3000 X 110 TON - 4 AXES - Monday 27 April, 200		
Press brakes	48	
PRESS BRAKE 6000 X 250 TON - Thursday 28 December	Press brakes	45
PRESS BRAKE 3060 X 230 TON - 6 AXES - Thursday 26 March, 2	Press brakes	
		30
PRESS BRAKE 4000 X 170 TON - 4 AXES - Wednesday 22 October	Press brakes	
		42
PRESS BRAKE 3000 X 105 TON - 6 AXES - Wednesday 16 Septemb	Press brakes	
		25
PRESS BRAKE 2000 X 40 TON - Tuesday 25 March, 20	Press brakes	13
PRESS BRAKE 1200 X 25 TON - Saturday 26 Septembe	Press brakes	9
PRESS BRAKE 10550 X 105 TON - Thursday 28 December	Press brakes	8
PRESS BRAKE 2500 X 35 TON - Tuesday 25 March, 20	Press brakes	14
PRESS BRAKE 2500 X 85 TON - 6 AXES - Wednesday 11 March,	Press brakes	16
PRESS BRAKE 3000 X 100 TON - 6 AXES - Saturday 28 November	Press brakes	
		21
PRESS BRAKE 3000 X 100 TON - Saturday 21 June, 20	Press brakes	18
PRESS BRAKE 3000 X 130 TON - 6 AXES - Monday 02 February,	Press brakes	
		27